



# STOCKADE ST400 FENCE POST STAPLER A12605




---

## ILLUSTRATED PARTS LIST

---



# STOCKADE ST400 Fence Post Stapler A12605



## PARTS LEGEND

## STOCKADE ST400 FENCE BATTEN STAPLER

A12605

|       |              |   |                                          |       |              |    |                                                                                                    |
|-------|--------------|---|------------------------------------------|-------|--------------|----|----------------------------------------------------------------------------------------------------|
| ■ 1   | US06100L-20  | 1 | Screw UH                                 | *● 46 | OR04515N     | 1  | O-Ring                                                                                             |
| 2     | FW060130B-10 | 2 | Washer, Flat                             | 47    | 41800101     | 1  | Flange, Nose                                                                                       |
| 3     | 15100202-A30 | 1 | Cover, Exhaust                           | 48    | 41800301     | 1  | Seal, Driver                                                                                       |
| 4     | 15108501     | 1 | Washer PU                                | → 49  | 41803201A    | 1  | Bracket Assy, Hand Grip<br>(RPLS 41803001, LN1000N)                                                |
| 5     | 25310001     | 1 | Seat, PU Washer                          | 50    | 41803101A    | 1  | Hand Grip Assembly                                                                                 |
| ■ 6   | HS06100L-25  | 5 | Screw SHC SEMS                           | ■ 51  | HS08125B-28  | 4  | Screw SHC                                                                                          |
| → 7   | 25400101-A33 | 1 | Cap Assembly (RPLS SS06100B-06)          | → 52  | 47702201A    | 1  | Lockout Assembly, Magazine<br>(RPLS 41801701, 41801601, 41801501,<br>US06100B-16, FW060130B-10 x1) |
| 8     | 25409801     | 1 | Collar                                   | → 53  | 38303202     | 1  | Spring (RPLS 38303201)                                                                             |
| 9     | 25400601     | 1 | Stop, Piston Return                      | 54    | 30803201     | 1  | Guide, Safety Lever                                                                                |
| → 10  | 23300702     | 1 | Spring (RPLS 23300701)                   | ■ 55  | 905584       | 2  | Screw SHC M5x8 →<br>(RPLS HS05080L-08)                                                             |
| 11    | 23310101     | 1 | Seat, Spring                             | 56    | 41802001     | 1  | Lever, Safety                                                                                      |
| *● 12 | OR41630N     | 1 | O-Ring                                   | 57    | 41801801     | 1  | Probe                                                                                              |
| → 13  | 23300903     | 1 | Main Valve (RPLS 25400903, 23300902)     | 58    | FW050120B-10 | 1  | Washer, Flat                                                                                       |
| *● 14 | OR56030N     | 2 | O-Ring                                   | → 59  | 47702401A    | 1  | Probe Adaptor Kit, 3V Notch (STD)<br>(RPLS 47700102, 41801901)                                     |
| *● 15 | 23300502A    | 1 | Gasket                                   | → 60  | 47701801A    | 1  | Probe Adaptor, Block (OPT)<br>(RPLS 41802201A)                                                     |
| *● 16 | OR42848M     | 1 | O-Ring                                   | → 61  | 00103301A    | 1  | Probe Adaptor, Insulator Guide (OPT)                                                               |
| * 17  | 41800401A    | 1 | Driver & Piston Assembly                 | → 62  | 41801302A    | 1  | Nose Plate Assembly<br>(RPLS 41801302, 15304801, 41801401A,<br>ER0300R)                            |
| *● 18 | 23301301     | 1 | Seal, Cylinder                           | 63    | 41800601     | 1  | Plate, Nose Support                                                                                |
| 19    | 25401401     | 1 | Cylinder                                 | → 64  | 41800702     | 1  | Nose (RPLS 41800701)                                                                               |
| *● 20 | OR56531N     | 1 | O-Ring                                   | → 65  | 47702501A    | 1  | Magazine Assembly<br>(RPLS 41800801-B01)                                                           |
| 21    | 23301601     | 1 | Bulkhead                                 | 66    | US04070B-06  | 1  | Screw SHC                                                                                          |
| *● 22 | OR55657N     | 1 | O-Ring, Return Pressure                  | * 67  | 41802501     | 1  | Channel, Staple Rest/Wear                                                                          |
| *● 23 | OR84431N     | 1 | O-Ring, Bulkhead                         | 68    | 41801101-B01 | 1  | Cover, Magazine (RH)                                                                               |
| * 24  | 23304802     | 1 | Bumper, Outer (RPLS 23304801) →          | 69    | US04070B-16  | 3  | Screw UH                                                                                           |
| * 25  | 41800201     | 1 | Bumper, Inner                            | * 70  | 41800901     | 2  | Channel, Staple Guide/Wear                                                                         |
| 26    | 16102902     | 1 | Pin, Step                                | → 71  | 905594       | 1  | Screw SHC (RPLS HS04070B-06)                                                                       |
| 27    | 23302701     | 2 | Pin, Step                                | → 72  | 905593       | 1  | Bush, Follower Stop (RPLS 25205701)                                                                |
| 28    | 23301901-A32 | 1 | Housing, Body                            | 73    | 41802101-B01 | 1  | Cover, Magazine (LH)                                                                               |
| 29    | LN0600NB     | 1 | Nut, Lock                                | → 74  | 905595       | 1  | Screw FH (RPLS FH04070B-05)                                                                        |
| *● 30 | OR54431N     | 1 | O-Ring                                   | → 75  | 41801001A    | 1  | Follower Assembly (RPLS 41801001,<br>15306403, 12103901, RP3018S)                                  |
| 31    | 23302504-A32 | 1 | Housing, Air Inlet                       | → 76  | 905581       | 1  | Spring & Drum Assy, Negator<br>(RPLS 15308601, 15306201, 12105802)                                 |
| 32    | 41802801     | 2 | Seal                                     | → 77  | 905597       | 1  | Ring PU, Retaining (RPLS 16103001)                                                                 |
| 33    | 41802303     | 1 | Belt Hook                                | → 78  | 010024       | AR | Service Kit                                                                                        |
| 34    | 41802901     | 1 | Bracket, Belt Hook                       |       |              |    |                                                                                                    |
| → 35  | 12106417     | 1 | Adaptor, Air Inlet (ANZ) (RPLS 16108008) |       |              |    |                                                                                                    |
| *● 36 | OR01919N     | 3 | O-Ring                                   |       |              |    |                                                                                                    |
| 37    | RP3022S      | 1 | Pin, Roll                                |       |              |    |                                                                                                    |
| 38    | RP3030S      | 2 | Pin, Roll                                |       |              |    |                                                                                                    |
| → 39  | 41607301A    | 1 | Valve, Trigger (RPLS 23303804A)          |       |              |    |                                                                                                    |
| 40    | 16305401     | 1 | Spring                                   |       |              |    |                                                                                                    |
| 41    | 30805301A    | 1 | Trigger (Sequential)                     |       |              |    |                                                                                                    |
| 42    | 41801201     | 1 | Bracket                                  |       |              |    |                                                                                                    |
| 43    | HS06100B-30  | 1 | Screw SHC SEMS                           |       |              |    |                                                                                                    |
| ■ 44  | HS05080LW-20 | 7 | Bolt SHC SEMS (RPLS HS05080LW-12)        |       |              |    |                                                                                                    |
| *● 45 | OR54015N     | 1 | O-Ring                                   |       |              |    |                                                                                                    |

- \* Normal Wear Items
- Included in Service Kit
- Apply Loctite® 242 (Blue)
- New Change
- AR As Required
- OP Optional

Accessories supplied in carry case\*

- 1 x 30ml Oil
- 1 x 3mm Hex Key
- 1 x 4mm Hex Key
- 1 x 5mm Hex Key
- 1 x Safety Glasses

\*Carry case non-procurable

Tool supplied with 3/8 BSP Nitto style air adaptor (installed)



- Use eye protection when cleaning tools.
- Use eye and ear protection when operating/testing tools.
- Use degreaser in a well ventilated area

- Use only approved Paslode Compressor Tool Oil PN F27625.
- Never use mineral based oils.
- Oil tool daily with 4 to 6 drops via air inlet connection.
- Heavy usage will require more frequent oiling.

- Operating air pressure at the tool inlet: 550-760 kpa (80-110 psi).
- Never exceed the maximum stated air pressure.
- Regularly check the regulator and pressure gauge operation.

A water/oil trap must be installed on the regulator outlet and drained regularly.

Never use bottled air or gases such as oxygen to operate the tool.



**WARNING: All parts must be periodically inspected and replaced if worn or damaged.**  
Failure to comply can affect the tool's operation and present a safety hazard.

## Change Notes

### Revision 1 (20/11/2012)

| Item | Part No.  | Item Description    | Change        | Action/Change Description            |
|------|-----------|---------------------|---------------|--------------------------------------|
| 13   | 25400903  | Main Valve          | Manufacturing | Replaced by 23300902 (Superceded R4) |
| *87  | 41803001  | Handle Grip Bracket | Design        | Part introduced (Superceded R4)      |
| *88  | LN1000N   | Lock Nut            |               | Part introduced (Discontinued R4)    |
| 50   | 41803101A | Handle Grip Assy    |               | Part introduced                      |

### Revision 2 (12/03/2013)

| Item | Part No. | Item Description    | Change    | Action/Change Description                    |
|------|----------|---------------------|-----------|----------------------------------------------|
| N/A  |          | Tool product number | Schematic | Product number changed from A12600 to A12605 |

### Revision 3 (6/08/2013)

| Item | Part No.     | Item Description         | Change        | Action/Change Description         |
|------|--------------|--------------------------|---------------|-----------------------------------|
| 35   | 16108008     | Adaptor, Air Inlet (ANZ) | Manufacturing | Replaced by 12106417              |
| 44   | HS05080LW-12 | Screw SHC SEMS           | Correction    | PN typo corrected to HS05080LW-20 |

### Revision 4 (25/06/2015)

| Item | Part No. | Item Description    | Change        | Action/Change Description                |
|------|----------|---------------------|---------------|------------------------------------------|
| 13   | 23300902 | Main Valve          | Manufacturing | Replaced by 23300903                     |
| *87  | 41803001 | Handle Grip Bracket |               | Replaced by 41803001A                    |
| *88  | LN1000N  | Lock Nut            |               | Discontinued - Nut now welded to bracket |

### Revision 5 (22/05/2019)

| Item | Part No.     | Item Description     | Change        | Action/Change Description                                                       |
|------|--------------|----------------------|---------------|---------------------------------------------------------------------------------|
| 10   | 23300701     | Spring               | Manufacturing | Replaced by 23300702                                                            |
| 24   | 23304801     | Outer Bumper         |               | Replaced by 23304802                                                            |
| 39   | 23303804A    | Trigger Valve        |               | Replaced by 41607301A                                                           |
| 64   | 41800701     | Nose                 |               | Replaced by 41800702                                                            |
| *45  | 41800801-B01 | Magazine             | Design        | Additional (top) mounting hole added<br>(Rolling incorporation - No PN changes) |
| *48  | 41801101-B01 | Cover, Magazine (RH) |               |                                                                                 |
| 44   | HS05080LW-20 | Screw SHC SEMS       |               | x 1 added to item QTY for above change                                          |
| *70  | RP3017S      | Roll Pin             | Manufacturing | Replaced by RP3018S (Discontinued R6)                                           |

<sup>1</sup> POA - Purchase on Assembly

\*Item numbering per previous revision

**Revision 6** (20/08/2021)

| Item | Part No.     | Item Description                          | Change        | Action/Change Description                                                                                                      |
|------|--------------|-------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------|
| 2    | FW060130B-10 | Flat Washer                               | Availability  | x 1 subtracted from item QTY for change to item 52                                                                             |
| *7   | SS06100B-06  | Set Screw                                 |               | POA <sup>1</sup> 7, Cap Assembly 25400101-A33                                                                                  |
| 38   | RP3030S      | Roll Pin                                  | Correction    | x 1 added to item QTY                                                                                                          |
| 62   | 41801302A    | Nose Plate Assembly                       | Availability  | Part introduced                                                                                                                |
| *41  | 41801302     | Driver Guide Cover                        |               | POA 62, Nose Plate Assembly 41801302A                                                                                          |
| *42  | 15304801     | Step Pin                                  |               |                                                                                                                                |
| *43  | 41801401A    | Latch                                     |               |                                                                                                                                |
| *44  | ER0300R      | E-Ring                                    |               |                                                                                                                                |
| 65   | 47702501A    | Magazine Assembly                         |               | Part introduced                                                                                                                |
| *45  | 41800801-B01 | Magazine                                  |               | POA 65, Magazine Assembly 47702501A                                                                                            |
| 74   | FH04070B-05  | Screw FH                                  | Format        | Replaced by 905595                                                                                                             |
| 52   | 47702201A    | Magazine Lockout Assy                     | Availability  | Part introduced                                                                                                                |
| *52  | 41801701     | Spring                                    |               | POA 52, Magazine Lockout Assy 47702201A                                                                                        |
| *53  | 41801601     | Lockout Lever                             |               |                                                                                                                                |
| *54  | 41801501     | Sleeve                                    |               |                                                                                                                                |
| *55  | US06100B-16  | Screw UH                                  |               |                                                                                                                                |
| 53   | 38303201     | Spring                                    | Manufacturing | Replaced by 38303202                                                                                                           |
| 55   | HS05080L-08  | Screw SHC M5x8                            | Format        | Replaced by 905584                                                                                                             |
| 59   | 41801901     | Probe Adaptor (1V Notch)                  | Design        | Replaced by 47700102 (3V Notches) (ex 400i)                                                                                    |
|      | 47700102     | Probe Adaptor (3V Notches)                |               | Replaced by Kit 47702401A (3V Notches).<br>Included screw (55) & washer (58) (ex 400i)                                         |
| 60   | 41802201A    | Probe Adaptor, Block                      |               | Replaced by 47701801A (ex 400i)                                                                                                |
| 61   | 00103301A    | Optional Insulator Guide<br>Probe Adaptor | Availability  | Part introduced                                                                                                                |
| 71   | HS04070B-06  | Screw SHC                                 | Format        | Replaced by 905594                                                                                                             |
| 72   | 25205701     | Follower Stop Bush                        |               | Replaced by 905593                                                                                                             |
| 77   | 16103001     | Ring PU                                   |               | Replaced by 905597                                                                                                             |
| 75   | 41801001A    | Follower Assembly                         | Availability  | Part introduced                                                                                                                |
| 65   | 41801001     | Follower                                  |               | POA 75, Follower Assembly 41801001A                                                                                            |
| 68   | 15306403     | Stopper                                   |               |                                                                                                                                |
| 69   | 12103901     | Spring                                    |               |                                                                                                                                |
| 70   | RP3018S      | Roll Pin                                  |               |                                                                                                                                |
| 76   | 905581       | Negator Spring & Drum Assy                |               | Part introduced                                                                                                                |
| 67   | 15306201     | Spring                                    |               | POA 76, Negator Spring & Drum Assy 905581                                                                                      |
| 66   | 15308601     | Roller                                    |               |                                                                                                                                |
| 72   | 12105802     | Step Pin                                  |               |                                                                                                                                |
| 78   | 010024       | Service Kit                               |               | Kit introduced                                                                                                                 |
| N/A  | Various      | Assemblies/Flag Notes                     | Schematic     | Complete format update<br>Defined available assemblies<br>Added Service Kit & Kit item flags<br>Added Loctite® flags           |
|      |              | Parts/Notes                               | Parts Legend  | Complete format update<br>Adopted conventional naming<br>Updated Loctite® and item usage<br>Added Service Kit & Kit item flags |

<sup>1</sup> POA - Purchase on Assembly

\*Item numbering per previous revision